

Form PTO 1449
(Modified)U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY DOCKET NO.
245977USSERIAL NO. 10/721498
NEW APPLICATION

LIST OF REFERENCES CITED BY APPLICANT

APPLICANT
Patrick D. MIZEFILING DATE
HEREWITH

GROUP

1654

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
EE	AA	4,849,340	07/18/89	OBERHARDT	435	13	
EE	AB	5,110,727	05/05/92	OBERHARDT	435	13	
EE	AC	5,568,723	08/19/97	OBERHARDT	60	203.1	
EE	AD	5,350,676	08/27/94	OBERHARDT, et al.	435	13	
EE	AE	5,601,991	02/11/97	OBERHARDT	435	7.91	
EE	AF	5,670,329	09/23/97	OBERHARDT	435	136	
EE	AG	5,677,133	10/14/97	OBERHARDT	435	7.1	
EE	AH	6,165,795	06/26/00	MIZE, et al.	436	69	
EE	AI	6,197,494	03/06/01	OBERHARDT	435	4	
	AJ						
	AK						
	AL						
	AM						
	AN						

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	TRANSLATION	
					YES	NO
EE	AO	WO 01/44493 A2	06/21/01	WIPO	Y	
	AP					
	AQ					
	AR					
	AS					
	AT					
	AU					
	AV					

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, etc.)

EE	AW	J. Harenberg, et al., Magnetic Bead Protamine-Linked Microliter Assay for Detection of Heparin using Iodinated Low-Molecular-Mass Heparin-Tyramine, Thrombosis Research, Vol. 79, No. 2, pp. 207-216, 1995.
	AX	
	AY	
	AZ	

☐ Additional References sheet(s) attached

Examiner

Date Considered

9/04

*Examiner: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.